

Catalogue

LED

LUXRAM

LUXRAM

Luxram lighting is a professional company specialized in production, marketing and distribution of large varieties of lighting sources. It stands on quality products in terms of reliability, stability and safety.

Deriving from a manufacturer over 20 years history, Luxram lighting takes the advantages of technology and technical know-how, becoming a professional lighting source supplier. Luxram lighting dedicates itself to provide lighting solutions for customers with international experience and accumulated knowledge. With its own market insight into global market, Luxram lighting has been striving to be sensitive to the local market's needs and predictive of innovation trends internationally.

Company Profile

Quality for Everything, as company philosophy, directs Luxram lighting to achieve fast growth and expansion.

From the LED chip to the electronic component, all raw materials are under strict quality control. By setting definite testing procedure, Luxram lighting ensures each step of production activity leading to finished products on the record of a trackable system, maintaining consistency of high quality production.

The sense of quality has been extended from physical products to superior services and communication in respect of convenience, credibility, responsibility and accuracy.

Let's grow up together in your market; the core message is derived from company philosophy. Luxram lighting believes its commitment of quality product and superior services is the way to achieve long term success. The commitment is built up by mutual trust in the long term orientation; and it, in turn, reflects positive view and confidence of the future of partnership between Luxram lighting and its distributors.

Philosophy

Luxram lighting is committed in providing high quality products and services to grow up with its distributors in their markets. Besides, Luxram lighting has developed a large variety of marketing approaches to assist distributors in achieving brand's distinctiveness and competitiveness for the purpose of setting up unique positioning in their markets.

LUXRAM

General LED



General LED GLS

5W/7W/9W/12W/14W/16W/
18W/24W



General LED Candle/Candle Tip/Ball

E14/E27
3W/4W/5W/7W

General LED GU10

5W/6W/7W/8W



36° 100°

General LED MR16

5W/6W/7W/8W 12V
Optional 220-240V



36° 100°



General LED Globe

D95/D120
12W/16W/18W



General LED

R50/R63/R80
5W/7W/9W/ 12W



General LED Bullet

20W/30W/40W/50W/60W

General LED Emergency
GLS COB | GLS | GU10 | Bullet

4W/7W/9W/12W/15W/18W

Optional Accessories





General LED GLS

E27 185-264V

General LED GLS

5 W 470 lm PF>0.5

1920002 3000 K
1920003 4000 K
1920004 6400 K



60×108

E27 185-264V

General LED GLS

7 W 600 lm PF>0.5

1920012 3000 K
1920023 4000 K
1920034 6400 K



60×108

E27 185-264V

General LED GLS

9 W 806 lm PF>0.5

1920022 3000 K
1920023 4000 K
1920024 6400 K



60×108

E27 185-264V

General LED GLS

12 W 1055 lm PF>0.5

1920032 3000 K
1920033 4000 K
1920034 6400 K



60×112

E27 185-264V

General LED GLS

14 W 1260 lm PF>0.5

1920042 3000 K
1920043 4000 K
1920044 6400 K



60×112

E27 185-264V

General LED GLS

16 W 1521 lm PF>0.5

1920052 3000 K
1920053 4000 K
1920054 6400 K



70×138

E27 185-264V

General LED GLS

18 W 1850 lm PF>0.5

1920062 3000 K
1920063 4000 K
1920064 6400 K



70×138

E27 185-264V

General LED GLS

24 W 2450 lm PF>0.5

1920072 3000 K
1920073 4000 K
1920074 6400 K



95×165



General LED Candle

E14 185-264V

General LED Candle

3 W 250 lm PF>0.5

1920082 3000 K
1920083 4000 K
1920084 6400 K



37×99

E14 185-264V

General LED Candle

4 W 350 lm PF>0.5

1920092 3000 K
1920093 4000 K
1920094 6400 K



37×99

E14 185-264V

General LED Candle

5 W 470 lm PF>0.5

1920102 3000 K
1920103 4000 K
1920104 6400 K



37×100

E14 185-264V

General LED Candle

7 W 600 lm PF>0.5

1920112 3000 K
1920113 4000 K
1920114 6400 K



37×100



General LED Candle Tip



General LED Ball E14

E14 185-264V

General LED Candle Tip

3 W 250 lm PF>0.5

1920122 3000 K
1920123 4000 K
1920124 6400 K



37x131

E14 185-264V

General LED Candle Tip

4 W 350 lm PF>0.5

1920132 3000 K
1920133 4000 K
1920134 6400 K



37x131

E14 185-264V

General LED Ball

3 W 250 lm PF>0.5

1920162 3000 K
1920163 4000 K
1920164 6400 K



45x82

E14 185-264V

General LED Ball

4 W 350 lm PF>0.5

1920172 3000 K
1920173 4000 K
1920174 6400 K



45x82

E14 185-264V

General LED Candle Tip

5 W 470 lm PF>0.5

1920142 3000 K
1920143 4000 K
1920144 6400 K



37x131

E14 185-264V

General LED Candle Tip

7 W 600 lm PF>0.5

1920152 3000 K
1920153 4000 K
1920154 6400 K



37x131

E14 185-264V

General LED Ball

5 W 470 lm PF>0.5

1920182 3000 K
1920183 4000 K
1920184 6400 K



45x82

E14 185-264V

General LED Ball

7 W 600 lm PF>0.5

1920192 3000 K
1920193 4000 K
1920194 6400 K



45x82



General LED Ball E27



General LED GU10 36°

E14 185-264V

General LED Ball

3 W 250 lm PF>0.5

- 1920202 3000 K
- 1920203 4000 K
- 1920204 6400 K



45x74

E14 185-264V

General LED Ball

4 W 350 lm PF>0.5

- 1920212 3000 K
- 1920213 4000 K
- 1920214 6400 K



45x74

GU10 185-264V

General LED GU10

5 W 350 lm PF>0.5

- 1920242 3000 K
- 1920243 4000 K
- 1920244 6400 K



50x55

GU10 185-264V

General LED GU10

6 W 450 lm PF>0.5

- 1920252 3000 K
- 1920253 4000 K
- 1920254 6400 K



50x55

E14 185-264V

General LED Ball

5 W 470 lm PF>0.5

- 1920222 3000 K
- 1920223 4000 K
- 1920224 6400 K



45x74

E14 185-264V

General LED Ball

7 W 600 lm PF>0.5

- 1920232 3000 K
- 1920233 4000 K
- 1920234 6400 K



45x74

GU10 185-264V

General LED GU10

7 W 550lm PF>0.5

- 1920262 3000 K
- 1920263 4000 K
- 1920264 6400 K



50x55

GU10 185-264V

General LED GU10

8 W 650 lm PF>0.5

- 1920272 3000 K
- 1920273 4000 K
- 1920274 6400 K



50x55



General LED **GU10 100°**



General LED **MR16 36°**

GU10 185-264V

General LED GU10

5 W 350 lm PF>0.5

1920282 3000 K
1920283 4000 K
1920284 6400 K



50x55

GU10 185-264V

General LED GU10

6 W 450 lm PF>0.5

1920292 3000 K
1920293 4000 K
1920294 6400 K



50x55

GU5.3 12V

General LED MR16

5 W 350 lm PF>0.5

1920322 3000 K
1920323 4000 K
1920324 6400 K



50x50

GU5.3 12V

General LED MR16

6 W 450 lm PF>0.5

1920332 3000 K
1920333 4000 K
1920334 6400 K



50x50

GU10 185-264V

General LED GU10

7 W 550 lm PF>0.5

1920302 3000 K
1920303 4000 K
1920304 6400 K



50x55

GU10 185-264V

General LED GU10

8 W 650 lm PF>0.5

1920312 3000 K
1920313 4000 K
1920314 6400 K



50x55

GU5.3 12V

General LED MR16

7 W 550 lm PF>0.5

1920342 3000 K
1920343 4000 K
1920344 6400 K



50x50

GU5.3 12V

General LED MR16

8 W 650lm PF>0.5

1920352 3000 K
1920353 4000 K
1920354 6400 K



50x50



General LED MR16 100°



General LED Globe

G5.3 12V

General LED MR16

5 W 350 lm PF>0.5

1920362 3000 K
1920363 4000 K
1920364 6400 K



50x50

G5.3 12V

General LED MR16

6 W 450 lm PF>0.5

1920372 3000 K
1920373 4000 K
1920374 6400 K



50x50

G5.3 12V

General LED MR16

7 W 550 lm PF>0.5

1920382 3000 K
1920383 4000 K
1920384 6400 K



50x50

G5.3 12V

General LED MR16

8 W 650 lm PF>0.5

1920392 3000 K
1920393 4000 K
1920394 6400 K



50x50

E27 185-264V

General LED D95

12 W 1055 lm PF>0.5

1920402 3000 K
1920403 4000 K
1920404 6400 K



95x140

E27 185-264V

General LED D120

16 W 1521lm PF>0.5

1920422 3000 K
1920423 4000 K
1920424 6400 K



120x173

E27 185-264V

General LED D95

16 W 1521 lm PF>0.5

1920412 3000 K
1920413 4000 K
1920414 6400 K



95x140

E27 185-264V

General LED D120

18 W 1850 lm PF>0.5

1920432 3000 K
1920433 4000 K
1920434 6400 K



120x173



General LED R50/R63/R80

General LED Bullet

E14 185-264V

General LED R50

5W 470 lm PF>0.5

1920442 3000 K
1920443 4000 K
1920444 6400 K



50x87

E27 185-264V

General LED R63

7 W 600 lm PF>0.5

1920452 3000 K
1920453 4000 K
1920454 6400 K



63x104

E27 185-264V

General LED R80

9 W 806lm PF>0.5

1920462 3000 K
1920463 4000 K
1920464 6400 K



80x110

E27 185-264V

General LED R80

12 W 1055lm PF>0.5

1920472 3000 K
1920473 4000 K
1920474 6400 K



80x110

E27

General LED Bullet

20 W 2050 lm DF>0.7

1920501 3000 K
1920502 4000 K
1920503 6400 K



80x140

E27

General LED Bullet

40 W 4300 lm DF>0.9

1920521 3000 K
1920522 4000 K
1920523 6400 K



120x213

E27

General LED Bullet

30 W 3200 lm DF>0.9

1920511 3000 K
1920512 4000 K
1920513 6400 K



100x186

E27

General LED Bullet

50 W 5400 lm DF>0.9

1920531 3000 K
1920532 4000 K
1920533 6400 K



140x242



General LED **GLS** DOB Emergency

General LED **GLS** Emergency

E27 185-264V 1200mAh 3 Hours
EMERGENCY TIME

General LED GLS

7 W 600 lm PF>0.5

- 1100002 3000 K
- 1100003 4000 K
- 1100004 6400 K



60x120mm

E27 185-264V 1200mAh 3 Hours
EMERGENCY TIME

General LED GLS

9 W 806 lm PF>0.5

- 1100012 3000 K
- 1100023 4000 K
- 1100034 6400 K



70x140mm

E27 185-264V 2400mAh 6 Hours
EMERGENCY TIME

General LED GLS

15 W 1055 lm PF>0.5

- 1100052 3000 K
- 1100053 4000 K
- 1100054 6400 K



80x165mm

E27 185-264V 2400mAh 6 Hours
EMERGENCY TIME

General LED GLS

18 W 1350 lm PF>0.5

- 1100062 3000 K
- 1100063 4000 K
- 1100064 6400 K



95x185mm

E27 185-264V 1200mAh 3 Hours
EMERGENCY TIME

General LED GLS

12 W 1055 lm PF>0.5

- 1100022 3000 K
- 1100023 4000 K
- 1100024 6400 K



80x150mm

E27 185-264V 1200mAh 3 Hours
EMERGENCY TIME

General LED GLS

15 W 1350 lm PF>0.5

- 1100032 3000 K
- 1100033 4000 K
- 1100034 6400 K



90x170mm



Optional Accessories



General LED **GU10** Emergency



General LED **Bullet DOB** Emergency

GU10 **36°** **185-264V** **350mAh** **3 Hours**
EMERGENCY TIME

General LED GU10

3 W 250 lm PF>0.5

- 1100082 3000 K
- 1100083 4000 K
- 1100084 6400 K



50x55mm

GU10 **100°** **185-264V** **350mAh** **3 Hours**
EMERGENCY TIME

General LED GU10

3 W 250 lm PF>0.5

- 1100092 3000 K
- 1100093 4000 K
- 1100094 6400 K



50x55mm

E27 **185-264V** **1200mAh** **3 Hours**
EMERGENCY TIME

General LED Bullet

20 W 1055 lm PF>0.5

- 1100122 3000 K
- 1100123 4000 K
- 1100124 6400 K



80x132mm

E27 **185-264V** **1200mAh** **3 Hours**
EMERGENCY TIME

General LED Bullet

30 W 1350 lm PF>0.5

- 1100132 3000 K
- 1100133 4000 K
- 1100134 6400 K



98x160mm

LUXRAM

LED T8 Tube



General
CB



General LED T8 CB



General LED T8 CB

GI3 100-240V

General LED T8

9 W 900 lm DF>0.5

- 1910102 3000 K
- 1910103 4000 K
- 1910104 6400 K



26x603

GI3 100-240V

General LED T8

18 W 1800lm DF>0.7

- 1910112 3000 K
- 1910113 4000 K
- 1910114 6400 K



26x1212

